

LUXURY WOOD NYC

406B West Broad St
Westfield, NJ 07090
908.232.6600
Joe@Hugginsflooring.com
luxurywoodnyc.com
Visit Our Showroom

Technical Profile

Photosensitivity

Low; lightens with age and sun exposure.

Grain

Straight, open grain with a medium-to-coarse ring-porous texture.

Janka Hardness

1360 lbf average.

Specific Gravity

0.68 average at 12% MC.

In-Use Stability

Below average.

Finish Notes

Sands satisfactorily and accepts stains and finishes very nicely; tannic acid can react with some liquids.



American Collection · Luxury Wide Plank Collection

White Oak Live Sawn

UNFINISHED

Live Sawn White Oak, also known as European or French cut, captures the full character of the tree in a distinctive wide-plank format. Heartwood ranges from light to medium brown, pale yellowish brown, and darker tones often carrying an olive cast, while sapwood can move from white to light brown with soft transitions between zones.

Its straight, open grain and medium-to-coarse texture create a broad, expressive surface with strong natural variation. The live-sawn cut emphasizes figure, movement, and tonal range, making it a compelling choice for interiors that want classic white oak with a more expansive visual rhythm.

Distinctive Attributes

This natural grade allows for large sound knots, prominent color variation, and broad wood character across each board. The floor may include open knots and open character up to 1 in., splits up to 1/4 in. wide that can be filled or defected out on site, along with unlimited worm holes, checks, streaks, and sapwood for a highly expressive, architectural look.

Flooring Specifications	
Sold	In full bundles
Shipping Weight	3.91 lbs per sq. ft.
Edge	Square edge, beveled edge (micro bevel or V-groove)
Installation	Nail/staple down, glue assist, glue down (engineered only)
Standard Length	Random from 2'-10'
Standard Widths	Solid: 5 1/4", 6 1/4", 7 1/4", 8 1/4", 9 1/4", 11 1/4" Engineered: 5 1/4", 6 1/4", 7 1/4", 8 1/4", 9 1/4"
Average Length	72"
Thickness	3/4" solid or 3/4" engineered
Avg. Waste Factor	5%
Finish Type	Unfinished Only

Finish Options

Representative color directions for unfinished white oak live sawn.

Light + Neutral

Rich + Deep



Chalk



Linen



Natural



Chestnut



Graphite



Ember

Real wood flooring will vary in color, grain pattern, and texture from samples. No two boards are alike.